

They call it Holy Water, we call it Rebeearth  
Wanna Try?



REBEARTH

organic  
pest-control  
& fertilizer  
all in one

DAP+CAN







A BULLET  
CAST FROM  
SILVER IS A  
METAPHOR  
FOR A  
SIMPLE,  
SEEMINGLY  
MAGICAL,  
SOLUTION  
TO A  
DIFFICULT  
PROBLEM.

# Rebea r t h

"

## *"The Silver Bullet"*

Version 26, September 21, 2019

**Agrosensi**

Gompenstraat 35 - 35a

5145 RM Waalwijk The Netherlands EU

**Internet:** [www.agrosensi.com](http://www.agrosensi.com)

**Mail:** [k.devries@agrosensi.com](mailto:k.devries@agrosensi.com)

# REBEARTH

*Growing crops and fruits, without growing concerns*



## Rebear th

is a revolutionary product from The Netherlands, it is 100% natural.



## Rebear th

supports nature to restore its natural balance. Creating a healthy basis for healthy plant growth.



## Rebear th & climate change

increases yield, improves soil conditions and increases crop health. meaning better resistance against drought, pests, flooding and diseases. And a higher nutritional value.



Rebear th in Pictures

Approved for organic farming and horticulture in the European Union and Kenya

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Sugar cane, Colombia, **Rebeearth**,  
6 months, 2017



Sugar cane, Colombia, untreated, 6  
months, same plot



Corn / Maize, Kenya, **Rebeearth**,  
non hybrid, many plants with 2 cobs per stalk,  
yield +/- 100%, 2017



Corn / Maize, Kenya, untreated,  
non hybrid, 2017

---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

*Pictures taken on the same plot in the same minute, in the same year, with only one difference.  
**Agricultural method:** Farmers own practice, just add Rebeearth*



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Green beans, Kenya, **Rebeearth**, 2018  
Almost 100% higher yield in  
previous harvest



Green beans, Kenya  
Untreated, control field, 2018



Broccoli, Kenya 2018, **Rebeearth**



Broccoli, Kenya, 2018, Untreated

---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

*Pictures taken on the same plot in the same minute, in the same year, with only one difference.  
**Agricultural method:** Farmers own practice, just add Rebeearth*



# Rebearth®

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



Left: **Rebearth**

Right: untreated

**Rebearth** strongly stimulates and strengthens soil-life and beneficial micro-organisms in bio-fertilizers



Pea pods, Columbia, June 2018  
Enhanced root system, giving plant vigour in cases of drought or flooding

Left: **Rebearth** / Right: untreated

---

Use Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Agricultural method: Farmers own practice, just add Rebearth*

# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Maize, Zambia, Africa, April 2018  
Left: **Rebeearth**. Right: untreated



Maize, Kenya, Africa, April 2018  
Left: **Rebeearth**. Right: untreated



---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

***Agricultural method:** Farmers own practice, just add Rebeearth*



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



## Fall armyworm (FAW)

Very positive reactions from Kenyan farms over the use of Rebeearth in combating the Fall Army Worm. Anecdotal evidence shows that application on maize on previously untreated fields, infected with the worm show the repulsion of most of the worms within 1 hour after application.

Infestations on previously treated Rebeearth fields, are not seen, or very low. Prevention is the best way to combat FAW.

### Reports from the fields of Africa:

"Rebeearth simply works on the Fall armyworm." quoted a leader of a farmer group. "Every farmer that sprayed Rebeearth on his /her test field, has no issues with the FAW, while in our region there is a heavy presence of the worm"

*April 2018*



---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

Pictures of damage done by FAW



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Melon, Peru, April 2018,  
4 weeks old.  
Left **Rebeearth**, right untreated



Tomato, Peru, April 2018,  
4 weeks old.  
Left **Rebeearth**, right untreated

---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

*Pictures taken on the same plot in the same minute, in the same year, with only one difference.  
**Agricultural method:** Farmers own practice, just add Rebeearth*



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Columbia, sugar cane, May 2018

← Left **Rebeearth**, right untreated

## Photo Below

Columbia, green beans, July 2018

Left **Rebeearth**, right untreated

First application of Rebeearth happened just after blooming. Only two applications were done of the five we advise.

### Result per pod:

19 grams vs 14 grams  
That is + 35% weight per pod.

### Result per plant:

90 pods per plant versus  
130 pods per plant  
That is + 44.4% pods per plant

### Total result:

+ 96% weight and above that,  
all Rebeearth red beans are class 1, with  
a higher price



## Photo left

Columbia, green beans,  
June 2018

Left **Rebeearth**, right untreated

First application (extra high dosage) of Rebeearth happened just after blooming. Only one application done of the three we advise.

### RESULT:

+ 30 % beans (count)  
+ 80 % bigger size



Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season

For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

*Agricultural method: Farmers own practice, just add Rebeearth*



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Kenya Maize, June 2018, very rainy season. Untreated is yellowish, while Rebeearth treated is dark green, high photosynthesis, still making starch, thus increasing yield  
Left **Rebeearth**, right untreated



---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

**Agricultural method:** Farmers own practice, just add Rebeearth



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Corn, hybrid, The Netherlands, 2014

2 or 3 cobs per stalk



---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

*Agricultural method: Farmers own practice, just add Rebeearth*



# Rebearth®

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



**Rebearth treated**

132 pieces



Untreated, 95 pieces

Onions,  
Highfield hybrid,  
The Netherlands,  
2009

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

**Agricultural method:** Farmers own practice, just add Rebearth



# Rebeearth®

Agricultural use of Rebeearth® bio stimulant around the world. A story in pictures



Trees, 2014

Left **Rebeearth**, right untreated

The untreated on the right have been planted 2 months earlier

The Rebeearth treated have been pruned, see new leaves in top.

The untreated have not been pruned



Radish, 2014, The Netherlands

Left **Rebeearth**, right untreated

---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

*Agricultural method: Farmers own practice, just add Rebeearth*



# Rebearth®

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



Millet, 2018, Kenya

Top: **Rebearth**

Bottom: untreated

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Pictures taken on the same plot in the same minute, in the same year, with only one difference.  
**Agricultural method:** Farmers own practice, just add Rebearth*



# Rebearth®

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



Left: **Rebearth**  
+ 50% crotches. Faster growth of stronger leaves



Right: **untreated**



Left: **Rebearth**  
More and stronger flowers



Right: **untreated**  
Smaller and less flowers / clusters

Grapes, Peru, 2018

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Pictures taken on the same plot in the same year, with only one difference.  
**Agricultural method:** Farmers own practice, just add Rebearth*



# Rebearth®

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



**Top:** untreated  
There was no Rebearth used in the life cycle of this plant.



**Bottom:** Rebearth treatment of the plant from the first picture.

This is what we call a real **Rebearth**, revitalizing of a dying plant.

Sukumawiki / Kale, Kenya, 2018

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Agricultural method: Farmers own practice, just add Rebearth*



# Rebearth®

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



From James Agwa,  
our agronomist



Sukumawiki / Kale, Kenya, 2018

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Agricultural method: Farmers own practice, just add Rebearth*



# Rebearth®

Agricultural use of Rebearth® bio stimulant around the world. A story in pictures



## Top:

Potatoes, untreated  
Local species: Nevada  
Columbia 2018



## Bottom:

Potatoes, Rebearth treated  
Local species: Nevada

Less disease and deformities  
Shallow eyes  
Better colour  
Higher Yield  
Higher number of tubers

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Pictures taken on the same plot in the same year, with only one difference.  
Agricultural method: Farmers own practice, just add Rebearth*



# Rebea r t h ®

## Rebea r t h with & without pictures, some anecdotal evidence

### Water melons, Columbia, 2018

After a growing season and a harvest without Rebea r t h, the farmer wanted to remove the dying plants. On a part of the field he sprayed Rebea r t h for a test, just to see what happens. Spraying both on plant and soil. He was able to harvest water melons from 20 to 25 kilo each from the old plants that fully recovered through application of Rebea r t h. *Picture NOT taken on test field*



### Lettuce, Peru, 2018

2 fields, one with Rebea r t h and the control field without. Harvesting untreated: from 800 - 1100 gram a piece  
Harvesting Rebea r t h : from 1250 - 1500 gram and above a piece. *Picture NOT taken on test field*



### Fruit trees, the Netherlands, 2012


Some dying fruit trees, with bark on the trunk fading, were sprayed 2 or 3 times on the root system, over a period of 4 weeks. The trees started to grow a lot of leaf and fruits like never before. Bark was restored to healthy proportions and the trees still blossoms as we speak, 6 years later.

*Picture NOT taken on test field*



### Water Lilly in pond, 2010

20 buds in stead of 4, *actual picture*



### Cactus, The Netherlands, 2009

After 35 years this plant never had flowers. After applying some Rebea r t h, flowers started growing in huge numbers year after year. *actual picture in green house*





# Rebearth®

Rebearth with & without pictures, some anecdotal evidence

## Onions, Highfield species

+ 19.000 kg per hectare

*actual picture of harvest*




Second year

## Belgian Endive, roots, first year of 2-year plant cycle, The Netherlands, 2009 pre tests

Normal yield: between 160.000 to 180.000 roots per hectare  
per year (grown from seeds). With Rebearth: 214.000

First year, root



## Tomatoes, Kenya 2018

1.5 month after seeding astonishing growth rate



# Rebearth®

Rebearth with & without pictures, some anecdotal evidence



**Bananas, Kenya 2018**

3 month after seeding astonishing growth rate.  
This situation normally occurs only after 7 months

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Agricultural method: Farmers own practice, just add Rebearth*



# Rebeearth®

## Diseases, fungi, parasites and bacteria & Rebeearth

In Africa, Europe and South-America Rebeearth helped conquering many diseases in a wide variety of plants. Since Rebeearth restores balance in plant and soil, there is more vigour to handle invaders in general. Below there are some known invaders that have shown to react on Rebeearth. Preventative spraying of Rebeearth supports plants to fight these pests, without any chemical support. **Possibly working on all plant diseases**

### **Fusarium**, fungus, Kenya, 2018

Non existent in Rebeearth treated fields

### **Pythium**, genus of parasitic oomycetes. (Formerly called a fungus), Kenya, 2018

Non existent in Rebeearth treated fields

### **Rhizoctonia**, fungus, Kenya, 2018

Non existent in Rebeearth treated fields

### **Nematodes**, round worm, Netherlands, 2013 - 2017

After long heavy infestation, non existent in Rebeearth treated fields / soils

### **Pseudomonas syringae**, bacterium, Netherlands, 2013 - 2015

Non existent in Rebeearth treated fields

### **Rhizobium**, bacterium, Netherlands, 2013 -2017

Used to inoculate Soy. Parasitic bacterium to take sugar from the plant and give Nitrogen back to the plant. Non existent in Rebeearth treated fields, even after forced inoculation. Rebeearth plants show much higher sugar (+ 32%) and Nitrogen (+ 24%) content, without this bacterium.

### **Lasioidiplodia fungus**, Avocado, Peru, 2019

Did not affect yield in Rebeearth treated plots

### **Striga Weed**, Kenya, 2019

Parasitic Striga weed, does not affect plant growth and yield in Rebeearth treated fields. Peaceful coexistence is seen. No need to fight the weed, because it becomes harmless. With Rebeearth this plant just becomes a beautiful flower again.



>>>> Striga weed



<<< Picture NL 2013:  
Parasitic Rhizobium nodules on non-treated plant, Small round white, taking sugars and giving back Nitrogen. Rebeearth gives more sugar and nitrogen in plant sap, without nodules.

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season

For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

**Agricultural method:** Farmers own practice, just add Rebeearth



# Rebearth®

Rebearth with & without pictures, some anecdotal evidence

## Soy in The Netherlands 2013 - 2018

Rhizobium is a bacterium used to inoculate soy seeds before seeding. The story goes that the plant will benefit from this bacterium. It is parasitic in nature, it takes sugar from the roots and gives Nitrogen back. This method originates from the USA, where this method seems to work. Using Rebearth on inoculated seeds, gave:

- No bacteria / no nodules (picture on previous page)
- Yield increase 21% (beans)
- 40% less fertilizer used
- Higher sugar and Nitrogen in plant sap (see below)
- No diseases
- Higher protein content

Soy is a tropical plant, The Netherlands has no tropical climate  
Yield, using Rebearth, is higher compared to USA 5 year mean



## The Netherlands

### Hoogeloon, sandy soil:

Untreated	15 to 19 pods per plant (mean: 17 pods)
Rebearth	26 to 32 pods per plant (mean: 29 pods)

### Dronten, clay soil

Untreated	13 to 18 pods per plant (mean: 15 pods)
Rebearth	22 to 29 pods per plant (mean: 25 pods)

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season

For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Pictures taken on the same plot in the same year, with only one difference.  
Agricultural method: Farmers own practice, just add Rebearth*



# Rebearth®

Rebearth with & without pictures, some anecdotal evidence



## Chrysanthemum, Quito Ecuador, January 2019

Left : Rebearth, 2 applications  
Right : Control

- Thicker stem
- Longer stem
- More and bigger leaves
- Faster growth
- Healthier look

---

Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Pictures taken on the same plot in the same year, with only one difference.  
**Agricultural method:** Farmers own practice, just add Rebearth*



# Rebearth®

Rebearth with & without pictures, some anecdotal evidence



## Avocado's, July 2019, Peru

- Higher yield, up 32% tons per hectare
- Faster maturation
- Decreased abortions
- Longer shelf life
- Improved dry matter
- Uniform fruit setting
- Lasiodiplodia fungus did not affect yield in treated plots

---



Spray Rebearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebearth.nl](http://www.rebearth.nl)

*Agricultural method: Farmers own practice, just add Rebearth*



# Rebeearth®

Rebeearth with & without pictures, some anecdotal evidence



**Maize April 2019, Kenya**

- Left** : Rebeearth, 3 applications, NO fall armyworm  
**Right** : The neighbour, without Rebeearth, ploughing and reseeding after attack of fall armyworm and total loss of harvest

---

Spray Rebeearth, diluted with water, on soil and crops, 3 times per growing season  
For more information: [www.rebeearth.nl](http://www.rebeearth.nl)

*Agricultural method: Farmers own practice, just add Rebeearth*

